

DSC-1

C02 Device Station

The TrolMaster DSC-1 C02 Device Station module allows users to easily connect and control standard supplemental C02 devices or C02 exhaust controls to the Hydro-X. Any C02 device that is 10-amps @ 120 volts or less can be controlled by the DSC-1.



Specifications

DSC-1

Input Voltage

Voltage	100-240V~, 50/60Hz
---------	--------------------

Output Current

Current	10A
---------	-----

Output Voltage

Voltage	100-240V~, 50/60Hz
---------	--------------------

Working Environments

Temperature	32-122°F (0-50°C)
-------------	-------------------

Humidity	≤90%
----------	------

Package Content

C02 Device Station	1pc
--------------------	-----

16ft RJ12 Cable	1pc
-----------------	-----

4ft RJ12 Cable	1pc
----------------	-----

RJ12 T-Splitter	1pc
-----------------	-----

Package Dimensions

Size	3.35inch / 85mm (L) x 3.15inch / 80mm (W) x 3.54inch / 90mm (H)
------	---

Gross Weight	12.0oz / 340g
--------------	---------------

LED Indicator Status

LED Indicator	Module Status
Fast Blinking Green	Module is not addressed to the main controller, OR module does not have a good connection to the main controller. *Note: Pressing the small address/link button on the module when first installed.
Slow Blinking Green	Module is addressed and connected to the main controller, and is currently turned OFF.
Solid Green	Module is addressed, connected, and main currently turned ON.
Blinking Red	Module is overloaded. Reset the overload by unplugging the module from powersource .

Link Up

DSC-1

CONNECTION DIAGRAM

